

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

re application of: Mody et al.

Attorney Docket No.: FMT1P028

Application No.: 09/751,472

Examiner: Not assigned

Filed: 12/29/2000

Group: 3739

Title: TISSUE ABLATION APPARATUS  
WITH A SLIDING ABLATION INSTRUMENT  
AND METHOD

**CERTIFICATE OF MAILING**

I hereby certify that this correspondence is being deposited with the  
United States Postal Service as First Class Mail to: Commissioner for  
Patents, Washington, DC 20231 on May 21, 2001.

Signed: \_\_\_\_\_

Yayoi Isaacson

**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**

Commissioner for Patents  
Box: Missing Parts  
Washington, D.C. 20231

Sir:

Enclosed herewith are the formal drawings in response to the Notice to File Corrected  
Application Papers --Filing Date Granted mailed December 29, 2000. Please file these  
documents in the subject application.

The Commissioner is authorized to charge any fees that may be due to our Deposit  
Account No. 500388 (Order No. FMT1P028).

Respectfully submitted,  
BEYER WEAVER & THOMAS, LLP

Michael L. Louie  
Registration No. 36,988

P.O. Box 778  
Berkeley, CA 94704-0778  
(510) 843-6200



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/751,472	12/29/2000	Dinesh Mody	FMT1P028

CONFIRMATION NO. 7176

022434

BEYER WEAVER & THOMAS LLP  
P.O. BOX 778  
BERKELEY, CA 94704-0778

## FORMALITIES LETTER



\*OC000000005883337\*

Date Mailed: 03/20/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

---

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE